EXHIBIT P3

to COMPLAINT FOR INTERPLEADER

North Dakota Department of Health

Bismarck, North Dakota

Certification of Death

THIS IS TO CERTIFY THAT THERE IS ON RECORD IN THE DIVISION OF: VITAL RECORDS, NORTH DAKOTA DEPARTMENT OF HEALTH, BISMARCK ND, THE FOLLOWING ENTRY OF DEATH:

DECEDENT INFORMATION

NAME: SOCIAL SECURITY NUMBER.

PLACE OF DEATH:

SURVIVING SPOUSE'S NAME:

FATHER'S NAME:

MOTHER'S MAIDEN NAME;

RESIDENTIAL ADDRESS:

PLACE DEATH OCCURRED: FACILITY OR ADDRESS:

LAMONT ALLEN LOUDENSLAGER 4347

FARGO, NORTH DAKOTA

WILLIAM LOUDENSLAGER

BONNIE ADAMS

HOSPITAL - INPATIENT

SANFORD HEALTH OF FARGO

FARGO, NORTH DAKOTA

MALE

DATE OF DEATH: **MARITAL STATUS:** TIME OF DEATH:

DATE OF BIRTH:

FILING DATE:

BIRTHPLACE: U.S. ARMED FORCES:

DATE ISSUED: CERTIFICATE NO:

SEPTEMBER 08, 2018

DIVORCED 20:47

SOUTH DAKOTA

NO

OCTOBER 12, 2018 OCTOBER 28, 2018

133-18-004793

INFORMANT INFORMATION

INFORMANT: INFORMANT'S ADDRESS; LANE LOUDENSLAGER

RELATIONSHIP:

SON

FINAL DISPOSITION:

DISPOSITION INFORMATION RIVERSIDE CEMETERY

FARGO, NORTH DAKOTA

BOULGER FUNERAL HOME

METHOD: **FUNERAL** PRACTITIONER: LICENSE NUMBER:

TIA LOPEZ

FUNERAL HOME:

FARGO, ND 58103 MEDICAL CAUSE OF DEATH INFORMATION

MOHAMED SANAULLAH,

1323 9551

BURIAL

MEDICAL CERTIFIER: CERTIFIER'S ADDRESS:

SANFORD HEALTH OF FARGO, FARGO, ND 68122

IMMEDIATE CAUSE OF DEATH:

as a consequence of > LACTOBAÇILLUS ENDOÇARDITIS

as a consequence of >

as a consequence of >

CONTRIBUTING FACTORS: RENAL MASS

MANNER OF DEATH:

NATURAL

MEDICAL EXAMINER CONTACTED: NO

TOBACCO CONTRIBUTED TO DEATH: NO

DATE OF INJURY: PLACE OF INJURY: LOCATION OF INJURYS

AUTOPSY PERFORMED: NO

AUTOPSY FINDINGS AVAILABLE

DECEASED DIABETIC: NO

TIME OF INJURY: INJURY AT WORK:

TRANSPORTATION INJURY:

HOW INJURY OCCURRED:

001819335

Uleschke Darin J. Meschke State Registrar of Vital Statistics

This certificate is issued in compliance with the laws of the State of North Dakota (NOT VALID without raised impression seal of the North Dakota Department of Health)

A NANY ALTERATION ON ERABURE VOIDS THIS CERTIFICATE